




AC600 High Gain Wireless Dual Band USB Adapter



Archer T2U Plus








Highlights


AC600 Dual Band Wi-Fi

The Archer T2U Plus receives Wi-Fi signals on two separate bands. Supporting 256QAM technology increases 2.4GHz data rate from 150Mbps to 200Mbps for 33% faster performance. Choose the 2.4GHz for surfing and social media, and 5GHz for up to 433Mbps for HD streaming and lag-free gaming.

Increased Range with High Gain Antenna

A high gain antenna reaches your router from farther with more precise directional range, sustaining faster and more stable wireless connections.






Highlights

Adjustable Multi-Directional Antenna

Rotate and adjust the antenna in the multi-direction to improve using experience in different environments.



Features



Speed

- High-Speed Wi-Fi 200Mbps on 2.4GHz and 433Mbps on 5GHz wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads
- 256QAM Support Increases the 2.4GHz data rate from 150Mbps to 200Mbps, delivering 33% faster performance
- · 802.11ac Support Wi-Fi technology that is 3 times faster than 802.11n



Reliabitlity

- Dual Band 2.4GHz and 5GHz band provide flexible connectivity, giving your devices access to the latest dual-band Wi-Fi router for faster speed and extended range
- Backwards Compatibility Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards



Ease of Use

Easy Installation – A friendly user interface utility on a CD for simple installation



Coverage

 High-Gain Antenna – A 5dBi high-gain antenna greatly enhances the reception and transmission signal strength of the USB adapter



Security

 Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats

Specifications

Wireless

· Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz

· Frequency: 2.4GHz, 5GHz

· Wireless Mode: Ad-Hoc / Infrastructure Mode

· Wireless Security: WEP, WPA/WPA2, WPA-PSK/ WPA2-PSK

· Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM

Hardware

· Interface: USB 2.0

· LED: Status

· Antenna: 1 External High Gain 5dBi Antenna

· Dimensions (when the antenna is vertical): $2.28\times0.71\times6.83$ in (57.8 × 18 × 173.4mm)

Others

· Package Contents

AC600 High Gain Wireless Dual Band USB Adapter

Quick Installation Guide

Resource CD

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.9-10.14

· Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing







For more information, please visit

https://www.tp-link.com/en/products/details/Archer-T2U-Plus.html

or scan the QR code left

©2019 TP-Link

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at tp-link.com/en/download-center.